


ROOM: Drivers - 1st Fl
Material Type: Black-Core Phenolic
Color: 3020 Graphite Graphix

Room Qty (Thus): 1

Toilet Compartments: 3 Floor Mounted Overhead Braced
Urinal Screens: 0 None
Privacy Screens: 3 Floor Mount - Pilaster



Manufacturer: ASI-Accurate Partitions | Compartment Configuration: In Corner | Material Height: 58" Doors/Panels - 12" AFF | Privacy Option: None | Door Hardware: Vault Hinge & Slide Latch | Compartment Brackets: Stainless Stirrup | Trim Shoe Material: Stainless Steel | Privacy Screen Mounting: Floor Mount - Pilaster | Privacy Screen Height: 58" Doors/Panels | Privacy Screen Brackets: Stainless Stirrup | Door Thickness: 0.75" | Pilaster Thickness: 0.75" | Panel Thickness: 0.5"

Component Type: Pilaster **Qty:** 11
Material Type: Black-Core Phenolic
Color: Not Selected

Manufacturer: ASI-Accurate Partitions | Pilaster Width: 5 | Pilaster Thickness: 0.75" | Mounting Type: Floor Mounted | Door/Panel Height: 58" Doors/Panels - 12" AFF | Trim Shoe Material: Stainless Steel

Component Type: Bracket Kits **Qty:** 17
Material Type: Black-Core Phenolic
Color:

Manufacturer: ASI-Accurate Partitions | Bracket Type: Stainless Stirrup | Connection Type: Prepack 2 | Partition Mounting Type: Floor Mounted Overhead Braced | Panel Height: 58" Panels

Component Type:	Pilaster	Qty:	12
Material Type:	Black-Core Phenolic		
Color:	Not Selected		
Manufacturer: ASI-Accurate Partitions Pilaster Width: 5 Pilaster Thickness: 0.75" Mounting Type: Floor Mounted Overhead Braced Door/Panel Height: 58" Doors/Panels - 12" AFF Trim Shoe Material: Stainless Steel			

Component Type:	Door Hardware	Qty:	5
Material Type:	Black-Core Phenolic		
Color:	Color Not Required		
Manufacturer: ASI-Accurate Partitions Door Height: 58" Doors Door Width: 22 Door Thickness: 0.75" Door Handing: Left Door Swing: In Privacy Sightline Option: None Door Hardware Type: Vault Hinge & Slide Latch			


Component Type:	Bracket Kits	Qty:	1
Material Type:	Black-Core Phenolic		
Color:			
Manufacturer: ASI-Accurate Partitions Bracket Type: Stainless Stirrup Connection Type: Prepack 1 Partition Mounting Type: Floor Mounted Overhead Braced Panel Height: 58" Panels			

Component Type:	Bracket Kits	Qty:	1
Material Type:	Black-Core Phenolic		
Color:			
Manufacturer: ASI-Accurate Partitions Bracket Type: Stainless Stirrup Connection Type: Prepack 3 Partition Mounting Type: Floor Mounted Overhead Braced Panel Height: 58" Panels			

11 PRE-PACKAGED HARDWARE KITS



For your convenience and ease of installation, this shipment contains pre-packaged hardware for all standard toilet partition layouts. The packages are numbered as follows and should be used as shown on the diagram.

Figure 11




- PP-1 Hardware Pre-Pack #1 - Pilaster to Wall
- PP-2 Hardware Pre-Pack #2 - Intermediate Pilaster to Panel to Wall
- PP-3 Hardware Pre-Pack #3 - End Pilaster to Panel to Wall
- PP-4 Hardware Pre-Pack #4 - Complete Alcove Hardware


LEGEND




ASI Accurate Partitions Burr Ridge, IL 60527 • 708-442-6800 • www.asi-accuratepartitions.com Distributor: Fry Specialty Co, Inc. Quote Name: 907421-1 (SQCN000594-2)	Room Name: Drivers - 1st Fl	Quantity: 1 (thus)
	Material: Black-Core Phenolic	Drawn By: Sara Schwarz
	Mounting: Floor Mounted Overhead Braced	Ceiling Height: 108"
	Color: 3020 Graphite Graphix	Printed: 07/27/2026



ASI Accurate Partitions Burr Ridge, IL 60527 • 708-442-6800 • www.asi-accuratepartitions.com	Room Name: Drivers - 1st Fl	Quantity: 1 (thus)
	Material: Black-Core Phenolic	Drawn By: Sara Schwarz
Distributor: Fry Specialty Co, Inc.	Mounting: Floor Mounted Overhead Braced	Ceiling Height: 108"
Quote Name: 907421-1 (SQCN000594-2)	Color: 3020 Graphite Graphix	Printed: 07/27/2026



ASI Accurate Partitions Burr Ridge, IL 60527 • 708-442-6800 • www.asi-accuratepartitions.com	Room Name: Drivers - 1st Fl	Quantity: 1 (thus)
	Material: Black-Core Phenolic	Drawn By: Sara Schwarz
Distributor: Fry Specialty Co, Inc.	Mounting: Floor Mounted Overhead Braced	Ceiling Height: 108"
Quote Name: 907421-1 (SQCN000594-2)	Color: 3020 Graphite Graphix	Printed: 07/27/2026



Manufacturer: ASI-Accurate Partitions | Compartment Configuration: In Corner | Material Height: 58" Doors/Panels - 12" AFF | Privacy Option: None | Door Hardware: Vault Hinge & Slide Latch | Compartment Brackets: Stainless Stirrup | Trim Shoe Material: Stainless Steel | Privacy Screen Mounting: Floor Mount - Pilaster | Privacy Screen Height: 58" Doors/Panels | Privacy Screen Brackets: Stainless Stirrup | Door Thickness: 0.75" | Pilaster Thickness: 0.75" | Panel Thickness: 0.5"

ASI Accurate Partitions	Room Name: Drivers - 1st Fl	Quantity: 1 (thus)
Burr Ridge, IL 60527 • 708-442-6800 • www.asi-accuratepartitions.com	Material: Black-Core Phenolic	Drawn By: Sara Schwarz
Distributor: Fry Specialty Co, Inc.	Mounting: Floor Mounted Overhead Braced	Ceiling Height: 108"
Quote Name: 907421-1 (SQCN000594-2)	Color: 3020 Graphite Graphix	Printed: 07/27/2026

Design Studio

BILL OF MATERIAL (ALL ROOMS)

Part Number	Description	Quantity
40-8275210	PH Hardware SS Set P/W 1 Ear	2
40-5450651	Headrail 65" x .75" PH	1
40-5450981	Headrail 98" x .75" PH	1
40-5882150-3020	PH Panel - 21.5"W x 58"H - Graphite Grafix	3
40-98870595-3020	FM 05" x 68.6" PH GRAPHITE GRAFIX	3
40-5885750-3020	PH Panel - 57.5"W x 58"H - Graphite Grafix	3
40-8448100	HDW SET RETURN HDRL	2
40-98870355-3020	PH Pilaster OB - 3"W x 83"H - EZ Stall w/ Trim Shoe - Graphite Grafix	1
40-98870555-3020	PH Pilaster OB - 5"W x 83"H - EZ Stall w/ Trim Shoe - Graphite Grafix	1
40-8275010	PH Hardware SS Set P/P 1 Ear	5
40-8275020	PH Hardware SS Set P/P 2 Ear	19
40-98870855-3020	PH Pilaster OB - 8"W x 83"H - EZ Stall w/ Trim Shoe - Graphite Grafix	2
40-5882360-3020	PH Door - 24"W x 58"H - Graphite Grafix	3
40-8571005	PH Door Hardware - Vault In Swing	8
40-98870595-9999	FM 05" x 68.6" PH SPECIAL COLOR	11
40-98870555-9999	OB EZ. 05" x 83" PH S3H SPECIAL COLOR	12

To provide Phenolic toilet partitions with the proper care and maintenance, the following instructions must be followed:

1. All accessible surfaces should be cleaned with a mild liquid soap only.
2. Surface should then be wiped and dried.
3. In areas containing showers, either self-contained or tiled-in units, the partitions in these rooms must receive ventilation from the outside so that excess humidity can escape.

Under no circumstance should the following agents be used:

- Abrasive powders or scouring pads
- Water closet cleaners
- Ceramic tile cleaners
- Solutions containing more than 1% by volume of ammonia
- Solutions containing acids or lye
- Solutions containing enzymes


If the above instructions are adhered to, our product shall provide years of dependable service.

ASI Accurate Partitions shall not accept responsibility for product failure if the above instructions are not followed.

Color-Thru

Premium Material Where Surface Color Goes Through and Through

Price Index: \$\$\$\$



Sahara Beige 4816




Pastel Grey 3074



Dark Grey 3871



Charcoal 3077



Black 2000C

Black Core

More Economically Priced Than Color-Thru Yet Great for Any Environment


Price Index: \$



Silver Gray 3000




Dove Gray 3010



Taupe 9096



Graphite 2150



Graphite Blue 6944




*Kingswood Walnut
9218



*Weathered Ash 9842



*Burnt Strand 5107



*Neo Walnut 7954




Graphite Grafix 3020




*White Ash 1841




Silveretta 9229



*Aged Ash 9844



*Natural Recon 9796



*Asian Night 9550

ASI Accurate Partitions

160 Tower Drive
Burr Ridge, IL 60527
Tel: 708.442.6800 Fax: 708.442.7439
E-mail: info@asi-accuratepartitions.com
Web: asi-accuratepartitions.com

*Actual colors may vary slightly from those shown due to limitations in the printing process.
Directional Pattern – Pattern on panels over 60" wide will run perpendicular to pattern on doors and pilasters. Patterns shown cropped from full size sheet, contact us for additional references.

Independent Laboratory Testing

Flame Spread Index and Smoke Developed Index

This document provides results from an independent fire test laboratory on ASI Accurate Partitions' toilet partitions materials.

Tests were performed in accordance with the American Society for Testing Material ASTM E 84-01 "Test for Surface Burning Characteristics of Building Materials".

ASTM E 84 test results are used by the ICC and NFPA to evaluate burning characteristics of materials classified as Interior Wall and Ceiling Finishes in building materials.

<i>Material Type</i>	<i>Flame Spread</i>	<i>Smoke Development</i>	<i>Fire Rating</i>
Powder Coated Steel	5	30	Class A
Stainless Steel	0	25	Class A
Plastic Laminate	130	180	Class C
Phenolic	45	110	Class B
Phenolic (Color Thru)	15	246	Class A
Solid Polymer	50	450	Class B
<i>ASTM E-84 / UL 723 Guide Lines</i>			
Class A Fire Rating (Class I) - Flame Spread (0 - 25) Smoke Developed <= 450 Class B Fire Rating (Class II) - Flame Spread (26 - 75) Smoke Developed < =450 Class C Fire Rating (Class III) - Flame Spread (76 - 200) Smoke Developed <= 450			

October 17, 2019

ASI Accurate Partitions warrants that its products will be free of defects in material or workmanship under normal usage from the date of invoice for a period as stated below.

Powder Coated Steel: Three (3) years against chipping, flaking, cracking or discoloration

Stainless Steel: Five (5) years against corrosion or discoloration

Moisture Guard™ Plastic Laminate: Five (5) years against discoloration or delamination

Legacy Plastic Laminate: Two (2) years against discoloration or delamination

Black Core/Color-Thru Phenolic: Twenty-five (25) years against delamination, breakage or corrosion

Solid Plastic (HDPE): Twenty-five (25) years against delamination, breakage or corrosion

If material is found to be defective during the above period, the material shall be repaired or replaced (at ASI Accurate Partitions' discretion) free of charge. No credits or allowances shall be issued for any labor or expenses relating to the repair replacement of components covered under the warranty plan. The repair or replacement of material shall be the sole remedy of purchaser and ASI Accurate Partitions shall not be liable for incidental, consequential or indirect damages caused by any defects in the partitions or any delay in repairing or replacing defective product.

These warranties shall not be applicable if vandalism, improper installation, or improper cleaning/maintenance of partitions has contributed as just cause for the partition failure. These warranties extend to commercial and industrial purchasers and do not extend to any other persons, including consumers of the partitions. These warranties are in lieu of all other warranties, express or implied, including any implied warranty of merchantability or fitness for a particular purpose or otherwise.