



TOILET
PARTITIONS.COM



STAINLESS STEEL TOILET PARTITIONS

HEIGHT OPTIONS



☒ **Standard Height:**

58" doors & panels,
12" floor clearance

55" Available On: Solid Plastic



☐ **Elite:**

64" doors & panels,
6" or 9" floor clearance

Not Available On: Solid Plastic



☐ **Elite Plus:**

72" doors & panels,
6" or 9" floor clearance

Not Available On: Solid Plastic

GAP OPTIONS



☒ **Standard Reduced-Gap:**

$\pm 3/32$ " door-to-stile
gaps, 1/2" to 1" wall gaps

Available On: All Systems



☐ **Gap-Free Doors & Stiles:**

Available On: All Systems

MOUNTING CONFIGURATIONS



☐ **Floor-Anchored**



☒ **Overhead-Braced**



☐ **Floor-to-Ceiling**



☐ **Ceiling-Hung**

STANDARD HARDWARE

Standard polished chrome hardware includes adjustable, concealed hinges for partial opening or self-closing door.



HARDWARE OPTIONS

☐ Heavy Duty Full-Height Stainless Steel Brackets



☐ Heavy Duty Full-Height Stainless Steel Hinges



SPECIFICATIONS SUMMARY

Select a Material	Select Privacy Options	Select Design Options
☐ Powder Coated Steel Fire Ratings: Class A ☒ Stainless Steel Fire Ratings: Class A ☐ Solid Plastic - HDPE NFPA Rating: Available	Height Options ☒ Standard: 58" Tall Doors & Panels, 12" Clearance 55" for Solid Plastic & 14" CLR. ☐ Elite: 64" Tall Doors & Panels 6" or 9" Clearance , Available On: All Systems ☐ Elite Plus: 72" Tall Doors and Panels, 4" or 6" Clearance Available On: All Systems Gap Options ☒ Standard Reduced-Gap Available On: All Systems ☐ Gap-Free Doors & Stiles Available On: All Systems	Hardware Options ☐ Heavy Duty Full-Height Stainless Steel Brackets ☐ Heavy Duty Full-Height Stainless Steel Hinges Mounting Configurations ☐ Floor-Anchored ☒ Overhead-Braced ☐ Floor-to-Ceiling ☐ Ceiling-Hung



SATIN BRUSHED STAINLESS STEEL

