

Color shown FORMICA HPL Wheat Strand 6212-58






Height Options

Privacy is increasingly seen as an expectation. Gaps and sightlines are among the most common complaints about today's toilet partitions.

HEIGHT OPTIONS



Standard Height:

58" doors & panels,
12" floor clearance


Available On: All Systems



Maximum Height:

71 3/4" doors & panels,
4 1/2" floor clearance

Available On: All Systems




Extended Height:

84" to 96" doors & panels,
1" floor clearance

Available On: DuraLineSeries CGL
(Overhead-Braced and
Floor-to-Ceiling only)


GAP OPTIONS



Standard Reduced-Gap:

±3/32" door-to-stile
gaps, 1/2" to 1" wall gaps

Available On: All Systems



Gap-Free Doors & Stiles:

Interlocking, sightline-free design

Available On: DuraLineSeries CGL,
SierraSeries SCRC



Design Options

MOUNTING CONFIGURATIONS




☐ Floor-Anchored



☒ Overhead-Braced



☐ Floor-to-Ceiling



☐ Ceiling-Hung



Design Options

STANDARD HARDWARE ☒



HARDWARE

☐ Full-Height Brackets



☐ Full-Height Hinges






☐ Occupancy Indicator Latch

(Standard with Extended Privacy, Systems)



SPEC SUMMARY

 Select a Material	 Select Privacy Options	 Select Design Options
<div><input type="checkbox"/> DuraLineSeries CGL ASTM E 84 Fire Ratings: Class A (1180 Series) or Class B (1080 Series)</div> <div><input type="checkbox"/> SierraSeries SCRC ASTM E 84 Fire Rating: Class B (1090 Series)</div> <div><input type="checkbox"/> DesignerSeries HPL ASTM E 84 Fire Rating: Class B (1040 Series)</div> <div><input checked="" type="checkbox"/> MetroSeries HPL ASTM E 84 Fire Rating: Class B (1550 Series)</div>	<div>Height Options <input checked="" type="checkbox"/> Standard: 58" doors & panels, 12" floor clearance</div> <div><input type="checkbox"/> Maximum 71 3/4" doors & panels, 4 1/2" floor clearance</div> <div><input type="checkbox"/> Extended: 84" to 96" doors & panels, 1" floor clearance</div> <div>Gap Options <input checked="" type="checkbox"/> Standard Reduced-Gap Available On: <input type="checkbox"/> Gap-Free Doors & Stiles Available On:</div>	<div>Hardware Options <input type="checkbox"/> Heavy Duty Full-Height Stainless Steel Brackets <input type="checkbox"/> Heavy Duty Full-Height Stainless Steel Hinges <input type="checkbox"/> Occupancy Indicator Latch (Standard with Extended Privacy)</div> <div>Mounting Configurations <input type="checkbox"/> Floor-Anchored <input checked="" type="checkbox"/> Overhead-Braced <input type="checkbox"/> Floor-to-Ceiling <input type="checkbox"/> Ceiling-Hung</div>

















HIGH PRESSURE LAMINATE (HPL) STANDARD COLORS & PATTERNS

					
Designer White D354-60	Natural Almond D30-60	Beige 1530-60	Otter 3202-58	Shadow D96-60	Slate Grey D91-60
					
Moonstone 7872-58	Grey 1500-60	Platinum D315-60	Mouse 928-58	Terril 2297-58	Black 1595-60
					
White Carrara 4924-38	Neutral Weft 5875-58	Flax Gauze 7708-58	Desert Zephyr 4841-60	Cardboard Solidz 7813-58	Pewter Mesh 4878-38
					
Sheer Mesh 4876-38	Classic Linen 4943-38	Satin Stainless 4830K-18*	Citadel Warp 5882-58	White Ash 8841-58	Field Elm 7999-60*
					
Danish Maple 8906-58	Millennium Oak 5887-58	Bleached Legno 8845-58	Smoky Brown Pear 5488-58	Blackened Steel 8918-58	

MATERIAL OVERVIEW

Scratch, Dent and Graffiti Resistance

Compared to competitive materials, Bobrick materials perform exceptionally well for scratch, dent and graffiti resistance when subjected to industry-standard ASTM test protocols. Consider the relative price of Bobrick's high performance substrates and it's clear: Bobrick materials are the pinnacle of value.


	Material	Price Index	Scratch Resistance ASTM D 2197 Weight Required to Scratch	Impact Resistance ASTM D 2794 Visible Damage, Inches-Pounds Per Force (lbf)	Graffiti Resistance ASTM D 6578 Marks Removed (Out of 6)	Interior Finish Classification ASTM E 84
Bobrick Material	High Pressure Laminate (HPL)*	\$ - \$\$\$\$	 >5.3kg 	22"  -lbf	6 	Class B
Other Manufacturers' Materials	Powder-Coated Metal	\$	 <0.5kg 	2"  -lbf	4 	Class A
	Plastic (HDPE)	\$\$	 <0.5kg 	<1"  -lbf	3 	In 48 states and Washington, D.C., ASTM E 84 is not the relevant test. Must pass an unmodified NFPA 286 test.
	Stainless Steel	\$\$\$\$\$	 1.0kg 	2"  -lbf	5 	Class A

*not applicable for Wood Veneer Laminate

Bobrick Material



High Pressure Laminate (HPL)




Material Specification:

High Pressure Laminate with a 45 lb density, industrial grade, resin-impregnated particle board substrate. Wood Veneer Laminate substitutes decorative paper with wood veneer.

- 1" doors, stiles and panels
- Impact and graffiti resistant
- Class B ASTM E 84 classification

Available on: PRIVADA® Cubicles, Traditional DesignerSeries®, Budget HPL Series

Other Manufacturers' Materials



Powder-Coated Metal



Plastic (HDPE)



Stainless Steel